Belgian standard optical attenuator unit price



Overview

Shop DigiKey''s large in-stock selection of Fiber Optic Attenuators. View inventory, pricing and order now for same day shipping!

Key Takeaways

The unit price for Belgian standard optical attenuators typically ranges from €5 to €50 depending on type, attenuation value, and supplier.

Overview

Belgian standard optical attenuators, such as those conforming to NBN EN or NBN HD standards, are designed for single-mode fiber applications and ensure consistent optical performance in plug-style configurations. These attenuators can be fixed or variable, with attenuation values commonly ranging from 0 dB to 60 dB. Connector types often include LC, SC, or FC, and they are used to reduce optical power in fiber optic links without affecting signal quality.

Price Range

Fixed attenuators (e.g., 5 dB LC simplex) are generally priced around €5–€15 per unit when purchased in small quantities. Variable attenuators or higher-precision models can cost €20–€50 per unit, depending on attenuation range and manufacturer. Bulk orders or specialized attenuators compliant with Belgian or European standards may incur additional costs due to certification and quality assurance requirements.

Where to PurchaseDigiKey offers a wide selection of fiber optic attenuators with real-time pricing and shipping options.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

F

S Europe provides both fixed and variable attenuators suitable for WDM transmission systems. Fibermarkt.com lists high-quality LC/UPC attenuators at competitive prices.

Add

On Networks supplies industry-standard fixed attenuators with guaranteed compliance for networking applications.

Considerations

When purchasing Belgian standard optical attenuators, ensure that the product: Meets NBN EN or IEC specifications for single-mode fiber. Has the correct connector type for your system. Provides the required attenuation value for your network setup.

Comes from a reputable supplier to guarantee compliance and performance. By comparing suppliers and specifications, you can select an attenuator that balances cost, compliance, and performance for your fiber optic network.

Article Content

Fiber Optic Attenuators | Optoelectronics | DigiKey

Shop DigiKey''s large in-stock selection of Fiber Optic Attenuators. View inventory, pricing and order now for same day shipping!

FIBRE ATTENUATORS Manufacturer & Supplier in Belgium

Norden Fibre Optic Attenuators are designed to control and stabilize optical power levels, protecting sensitive equipment and optimizing signal transmission in fibre networks.

Publication details

Status Registered trilingual Belgian standard EN or FR or DE Situation valid till 2025-08-17 Replaced by NBN EN IEC 61753-051-02:2022 Replaces NBN EN 61753-051-3:2002

Optical Attenuators, Fixed & Variable Available

FS fixed and variable fiber optic attenuators with leading attenuating fibers guarantee consistent and stable fiber attenuation (0~60dB) in WDM transmission.

BlueLAN Fibre optic attenuator Singlemode ST Simplex 2dB

The BlueLAN LWL Attenuator Singlemode ST Simplex 2dB is a high-quality transceiver module designed for use in singlemode fiber optic networks. With an attenuation of 2 dB, it enables efficient

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Fiber optic attenuators

Attenuator Singlemode LC/UPC 2dB Model: FA-IS-PCL02 €3.72€4.58 Large availability Add to Cart Add to Wish ListAdd to Compare Attenuator Singlemode LC/UPC 3dB Model: FA-IS-PCL03 €3.72€4.58

Optical Attenuators – Buyer''s Guide & Supplier List | RP Photonics

This buyer''s guide for optical attenuators provides technical background, comparison of major types, selection criteria, and an overview of suppliers.

Optical Attenuators, Fibre Optic Attenuators

FS fixed and variable optical attenuators with leading attenuating fibres make sure consistent and stable fibre attenuation (0~60dB) in wdm transmission all the time.

Fiber Optic Attenuator, In-line VOA Optical Attenuator – FIBERMART

Our fixed attenuators can be with different attenuation levels from 1 dB to 30 dB (step by 1 dB), while the variable optical attenuators (generally used as in-line attenuators) can be with a range of 0 ~ 60 dB.

Amazon : Attenuators

FLYPROFiber- 5dB LC Attenuator | dB Options: 3dB, 5dB, 7dB, 10dB, 15dB, 20dB | LC/UPC SM Single Mode Fixed Fiber Optic Attenuator, Male-Female, 2pack Add to cart

Go4Fiber Variable Fiber Optic Attenuator

MEMS Variable Attenuator (VOA), Bright type, C + L Band, attenuation range: 30dB, fiber length: 1m, Volt: 6.5V, SC/UPC connector GMVOA-B-CL3-10-C2 Availability: Ship around 2-3 weeks Unit: PC

Fiber Optic Attenuators In Stock | Great Prices | Unikeyic

Shop At Unikeyic For Fiber Optic Attenuators —Stocked, Ready To Ship. Find Detailed Datasheets And Competitive Pricing On Our Product Category.

Fibre Optic Attenuators

Fibre optic attenuators are passive devices that decrease the intensity of light signals passing through fibre cables. They are commonly available in fixed and variable types and are essential for

The Ultimate Guide to Fiber Optic Attenuators

Fiber optic attenuators play a crucial role in managing and controlling the power levels of optical signals in fiber optic networks. They are passive

Fiber-optic Attenuators – fixed or variable attenuation,

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Fiber-optic attenuators adjust optical signal power levels, for example in fiber-optic links. The degree of attenuation may be fixed or variable.

Optical Attenuators – fixed, variable, VOA, high-power,

Optical attenuators are devices that reduce the optical power of a light beam by a fixed or variable amount. Key requirements include minimal effect on the beam

LC/UPC Fiber Optic Attenuator 5dB, in-Line Attenuator, Male/Female ...

About this item Connector/Connection Polish: LC/UPC Male to LC/UPC Female, 10 Pack Attenuator db: 5dB. Low Insert-loss & High Return-loss: Optical fibers are connected by adapters through internal

OZ Optics Online | Fiber Optic Attenuators

OZ Optics offers a broad range of both variable and fixed attenuators having key competitive advantages. All of our attenuators operate over the two standard wavelength bands, the C-Band and

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved