Maximum km range for optical modules



Overview

SFP Distance Explained: Real-World Range, Limits, and OpticsSFP distance refers to the maximum effective range over which an SFP optical module can transmi.

Key Takeaways

Optical modules typically support transmission distances ranging from a few hundred meters to over 100 kilometers, depending on fiber type, wavelength, and module design. Typical RangesShort-range (multi-mode) modules: Usually designed for distances up to 550 meters at 1 Gbit/s and around 300 meters at 10 Gbit/s, often using 850nm wavelength lasers for multimode fiber. Long-range (single-mode) modules: Can transmit over 10 km, 40 km, or even 80 km, using 1310nm or 1550nm wavelengths for single-mode fiber.

Extended distances: Some specialized modules, when paired with appropriate fiber types, can achieve tens of kilometers, with real-world performance influenced by fiber quality, connector cleanliness, and optical power budget.

Factors Affecting Transmission Distance

Fiber Type: Single-mode fibers support longer distances than multi-mode fibers due to lower modal dispersion. Wavelength: Short wavelengths (850nm) are suited for short-range links, while longer wavelengths (1310nm, 1550nm) reduce fiber loss and enable long-range transmission. Module Design: SFP, SFP+, and other form factors differ in power output and sensitivity, affecting achievable distance.

Environmental Conditions: Real-world deployments may see shorter ranges than datasheet specifications due to bends, splices, or temperature variations.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Practical Applications

Data centers and enterprise networks: Often use short-range SFP modules for intra-building connections. Metropolitan and long-haul networks: Employ single-mode modules with longer wavelengths to cover several kilometers or tens of kilometers. Specialized modules: BiDi, CWDM, and DWDM modules allow efficient use of fiber for multiple channels, supporting both short and long distances depending on network design.

In summary, optical modules are versatile components capable of supporting a wide range of distances, from a few hundred meters in short-range multimode setups to over 100 kilometers in long-range single-mode deployments, with actual performance determined by fiber type, wavelength, module specifications, and installation conditions.

Article Content

SFP Distance Explained: Real-World Range, Limits, and Optics

SFP distance refers to the maximum effective range over which an SFP optical module can transmit data while maintaining signal integrity. It is typically measured in kilometers (km) for

How to Achieve Long Distance Transmission Beyond 120km: SFP

In fiber optic systems, every additional kilometer introduces signal attenuation and chromatic dispersion. For standard 10G optical modules, limited link budget and dispersion tolerance

Basic Knowledge Of Optical Module Transmission Distance

Optical modules are generally categorized into short-range (less than 2 km), medium-range (10 km to 20 km), and long-range (more than 20 km) based on their transmission distances.

SFP Modules Technical Parameters

3. SFP Modules Transmission Distance Indicates the maximum transmission distance the module supports, measured in meters (m) or kilometers (km): Short Range (SR): Typically up to 300

1.25G SFP 550m vs 20km vs 80km: Which One Actually Fits Your

Compare 1.25G SFP 550m, 20km, 40km, and 80km modules by distance, fiber type, and cost. Make the right choice — the first time.

SFP Optical Transceiver Modules for Long Distance: A Complete

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

This guide provides a comprehensive breakdown to help network professionals, IT architects, and procurement teams make informed decisions when deploying long-range SFP modules.

What is the maximum distance for SFP□

The maximum distance for an SFP (Small Form-Factor Pluggable) transceiver depends on the type of SFP module, the optical fiber used, and the specific application.

The relationship between wavelength and transmission distance of ...

When paired with multimode, the maximum transmission distance is 2km, and when paired with single-mode, the maximum transmission distance is 40km. At 1310nm wavelength, 100Mbps, 10G, 40G,

The Strength Of Long Distance Transmission: 10G SFP+ ZR 120KM

ETU-Link 10G SFP+ 120KM dual-fiber optical module is its ultra-long transmission distance of up to 120 kilometers.

How to Choose SFP Module for Compatibility, Speed, and Distance

Each SFP module has a maximum supported distance determined by its optical power, the fiber type, wavelength, and link loss. Selecting a module that cannot cover the required distance

Small Form-factor Pluggable

Small Form-factor Pluggable Small Form-factor Pluggable connected to a pair of fiber-optic cables Small Form-factor Pluggable (SFP) is a compact, hot-pluggable network interface module format used for

Cisco 10GBASE SFP+ Modules Data Sheet

Product overview The Cisco® 10GBASE SFP+ modules (Figure 1) give you a wide variety of 10 Gigabit Ethernet connectivity options for data center, enterprise wiring closet, and service provider transport

Top Optical Modules for POTN Deployment: SFP, QSFP, and OSFP

Modern optical transport networks are the nervous system of digital infrastructure. As data demand continues to multiply, choosing the right optical module becomes a crucial decision in

Juniper 800G Optical Transceivers and Cables Guide

The reach provides the maximum supported distance or range for an optical transceiver. It helps you to select the appropriate optical transceiver for different applications, such as inter-data

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

OPTICAL MODULES FOR HUAWEI S SERIES SWITCHES

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

SFP transceiver CBO SFP-1G-ZX-120KM | AiO.lv

Buy the CBO SFP-1G-ZX-120KM fiber SFP transceiver for 1.25Gbps, 120 km long-range links. Order now with delivery in Riga, Latvia and the EU.

MiniPOD™ AFBR-811Vx3Z, AFBR-821Vx3Z 10 Gbps/Channel, 300 m

Description The AFBR-811Vx3Z Twelve Channel, Pluggable, Parallel Fiber Optics Transmitter and AFBR-821Vx3Z Twelve Channel, Pluggable, Parallel Fiber Optics Receiver are high

How Far Can Fiber Optic Cable Be Run? Distance Limits Explained

Fiber optic cables can span 2km to 100km+ depending on type. Learn about single-mode, multimode distance limits, and factors affecting range.

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved