What is the diameter of an ADSS 24-core optical cable



Overview

ADSS 24C Fiber Optic Cable SpecsThis document provides specifications for an ADSS cable including: - The cable has 24 cores with 2 tubes containing 12 fibe.

Key Takeaways

The typical outer diameter of a 24-core ADSS optical fiber cable ranges from approximately 10 mm to 12 mm, depending on the manufacturer and sheath type.

Cable Construction

A 24-core ADSS cable generally consists of 24 single-mode fibers arranged in loose tubes (6 fibers per tube), filled with a water-blocking compound for moisture protection. The loose tubes are reinforced with two layers of aramid (Kevlar) yarn, which provide tensile strength and support for aerial installation without metallic components. The cable is then covered with a polyethylene (PE) outer sheath or an anti-tracking (AT) sheath for high-voltage environments.

Diameter Considerations

Standard P

E sheath: Typically results in an outer diameter around 10–11 mm. Anti-tracking or thicker PE sheath: Can increase the diameter slightly to 11–12 mm to provide additional insulation and tracking resistance. The exact diameter may vary depending on the number of aramid layers, sheath thickness, and manufacturer-specific design.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

Installation Implications

The outer diameter affects: Tensile load calculations for suspension on transmission towers. Bending radius requirements during installation. Compatibility with clamps, rollers, and other aerial hardware.

For precise engineering, it is recommended to consult the manufacturer's datasheet for the specific 24-core ADSS cable model being used, as minor variations in diameter can occur between suppliers. In summary, while the typical outer diameter is 10–12 mm, the exact value depends on the sheath type and reinforcement layers, and should be confirmed with the cable supplier before installation.

Article Content

ADSS 24C Fiber Optic Cable Specs

This document provides specifications for an ADSS cable including: - The cable has 24 cores with 2 tubes containing 12 fibers each. It has a nominal diameter of 10mm and weight of 75kg/km.

Multi-Loose Tube Fiber Cable

Product feature: This cable has all dielectric and self-supporting properties. Existing out of 6 tubes with a diameter of 1.9mm with 24 fibers (4t x 6f) SM OS2 G.652.D & G.657.A1.

GAAG224 Technical Data Sheet

Product feature: This cable has all dielectric and self-supporting properties. Existing out of 6 tubes with a diameter of 1.9mm with 24 fibers (4t x 6f) MM OM2. All dielectric self-supporting cable (ADSS) for

Item # ADSS-24, ADSS All Dielectric Self-Supporting Fiber Optic Cable

Below are the coefficients for a standard ADSS cable containing 32 to 60 fibers in 5 tubes with a single outer jacket. The cable can be used in a span of 450 feet with NESC light conditions, 300 feet for

24 Cores ADSS Fiber Optic Cable Price & Datasheet

Its light weight and small cable diameter reduce the influence of ice, wind and the load on the tower and supports. The maximum span can exceeds 1000 meters. The precisely controlled aramid application

Fiber Optic 24 Core ADSS Multi |Single Mode Fiber Cable

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

With a minimum bending radius of 20 times the cable diameter during installation, the cable ensures ease of handling and installation. Compliance with international standards, such as IEC and

24 Core Single Mode ADSS Fiber Optic Cable

With a fiber mode field diameter of approximately 9 µm, this cable is optimized for single mode applications, supporting high-speed data transfer over significant distances.

Fiber optic ADSS cable 24 fibers

Fiber optic ADSS cable 24 fibers, either called double loose tube ADSS cable is essential component to transmit light single used in FTTx network line construction.

024KN4-T4M30A20 | SOLO® ADSS Medium-Span, Loose Tube, Gel

This cable incorporates innovative waterblocking materials, eliminating the need for traditional flooding compound and providing efficient and craft-friendly cable preparation.

Fiberhome CFOA-SM-AS80-S Cable Specs | PDF

This document provides specifications for an outdoor fiber optic cable including: The cable has a cross-section with an outer sheath, strength members, water blocking components, loose buffer tubes

ADSS Cable Manufacturer

All dielectric self supporting (ADSS) cable is a type of optical fiber cable that is strong enough to support itself between structures without using conductive

OPGW Cables: What Are They and Why Power Grids Need Them

Discover what OPGW cable (Optical Ground Wire) is, its technical structure, key benefits for power grids, installation practices, for transmission lines.

what does fiber optic cable look like: 7 Powerful Facts 2025

Discover what does fiber optic cable look like with photos, color codes, and expert tips for easy identification and safe handling.

The Ultimate Fiber Optic Cable Size Reference Chart

How to Use This Chart Understanding fiber optic measurements doesn''t have to be overwhelming. Our comprehensive chart simplifies the process by outlining the key

Outdoor Fiber Optic Cable: Types, Specifications & Selection | Opelink

© 2026 CJC FIBRE CONSULTANTS - All rights reserved

This document serves as a guide for outdoor fiber optic cable selection and installation for professionals in the telecommunications industry. It begins by highlighting the need for outdoor

Outdoor Fiber Optic Cable Types: Complete Guide

This article summarizes the major outdoor fiber optic cable types and their distinguishing features. You can Identify them with images.

Latest OPGW Cable Price List

Key Factors Affecting OPGW Cable Prices Fiber Core Count One of the primary determinants of OPGW cable pricing is the number of optical fibers within the cable. Common

Fiber Optic Cable Core: Understanding Its Types and Uses

In today''s world, fiber optic cables are commonly used in almost every sector as they help transmit data quickly over great distances. However, if

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://cjcconsultants.co.za
Technical inquiry: https://cjcconsultants.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 CJC FIBRE CONSULTANTS - All rights reserved